

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	0	(@ad<"20020210" or @rlad<"20020210") and ("node-b" or "node b") and ((UMTS near2 "radio manager") or URM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 18:06
S6	1	(@ad<"20020210" or @rlad<"20020210") and ("node-b" or "node b") and UMTS and (PLD or "processor loading data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 18:15
S7	17	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") near6 (id or identity)) and UMTS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 09:10
S8	16	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") near6 (updat\$4)) and UMTS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 09:46
S9	0	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) with (updat\$4 near3 different near3 only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:49
S10	8	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) with (updat\$4 near3 (smart or intelligent or quick or fast or optimiz\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:51
S11	2154	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) near5 ((install\$4 near2 new) or updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:53
S12	228	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) near5 ((install\$4 near2 new) or updat\$5) and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:59

EAST Search History

S13	56	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) near5 ((install\$4 near2 new) or updat\$5) near5 (differ\$5 or new or change\$3 or alter\$3 or patch) and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 11:09
S14	56	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) near5 ((install\$4 near2 new) or updat\$5) near5 (differ\$5 or new or change\$3 or alter\$3 or patch or selective\$3) and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 11:11
S15	61	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) near5 (install\$4 or updat\$5) near5 (differ\$5 or new or change\$3 or alter\$3 or patch or selective\$3) and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 11:30
S17	1	(@ad<"20020210" or @rlad<"20020210") and (((("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) near5 (install\$4 or updat\$5) near5 (differ\$5 or new or change\$3 or alter\$3 or patch or selective\$3)).ab. and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:06
S18	650	(@ad<"20020210" or @rlad<"20020210") and ("node-b" or "node b") near5 (add\$5 or insert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:06
S19	26	(@ad<"20020210" or @rlad<"20020210") and ("node-b" or "node b") near5 (add\$5 or insert\$5) near3 new	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:10
S20	6	(@ad<"20020210" or @rlad<"20020210") and ("node-b" or "node b") near5 (add\$5 or insert\$5) near3 new and (UMTS or 3gpp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:25

EAST Search History

S21	49	(@ad<"20020210" or @rlad<"20020210") and ("node-b" or "node b" or "base station") near5 (add\$5 or insert\$5) near3 new and (UMTS or 3gpp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:34
S22	49	(@ad<"20020210" or @rlad<"20020210") and ("node-b" or "node b" or "base station" or "b node") near5 (add\$5 or insert\$5) near3 new and (UMTS or 3gpp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:44
S23	22	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b" or "base station" or "b node") near5 (add\$5 or insert\$5)). ab. and (UMTS or 3gpp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:52
S25	2	S24 not S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:53
S24	24	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b" or "base station" or "b node") near5 (add\$5 or insert\$5 or reset\$5)).ab. and (UMTS or 3gpp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:53
S16	0	(@ad<"20020210" or @rlad<"20020210") and (("node-b" or "node b") or (RNC or "radio network controller") or ("base station")) near5 (install\$4 or updat\$5) near5 (differ\$5 or new or change\$3 or alter\$3 or patch or selective\$3) and (UMTS or 3GPP) and (reset\$4 near3 ("node-b" or "node b"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:54
S26	37	("node-b" or "node b" or "b node" or "base station") near5 (PLD or "processor loading data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:10
S27	12103	("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:11
S28	16011	("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:15

EAST Search History

S29	2267	("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) and (3gpp or umts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:18
S30	1831	("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) and (3gpp or umts) and ("709"/\$3.ccls. or "455"/\$3.ccls. or "370"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:19
S31	956	(@ad<"20030210" or @rlad<"20030210") and ("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) and (3gpp or umts) and ("709"/\$3.ccls. or "455"/\$3.ccls. or "370"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:20
S33	0	(@ad<"20030210" or @rlad<"20030210") and (("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) with (PLD or "processor loading data")) and (3gpp or umts) and ("709"/\$3.ccls. or "455"/\$3.ccls. or "370"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:24
S32	88	(@ad<"20030210" or @rlad<"20030210") and ("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) same (3gpp or umts) and ("709"/\$3.ccls. or "455"/\$3.ccls. or "370"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:33
S34	458	(@ad<"20030210" or @rlad<"20030210") and ("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) near3 (Id or "identification")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:35
S35	7	(@ad<"20030210" or @rlad<"20030210") and ("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) near3 (Id or "identification") same (RNC or "radio network controller")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:38
S38	257	samsung.as. and ("node-b" or "node b" or "b node" or "base station"). clm. and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:40

EAST Search History

S37	5759	samsung.as. and ("node-b" or "node b" or "b node" or "base station")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:40
S39	5	samsung.as. and (("node-b" or "node b" or "b node" or "base station") near5 updat\$5).clm. and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:50
S40	92	"kim, hyun-jung".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:50
S36	1	(@ad<"20030210" or @rlad<"20030210") and ("node-b" or "node b" or "b node" or "base station") near5 (updat\$5 or add\$5 or new) near3 (Id or "identification") and (UMTS or 3GPP).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:51
S42	5423	("node-b" or "node b" or "b node" or "base station") near3 (id or "identification")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:51
S41	1	"kim, hyun-jung".in. and ("node-b" or (node near2 b)) with (updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:51
S43	52	updat\$4 near2 ("node-b" or "node b" or "b node" or "base station") near3 (id or "identification")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:52
S44	6	updat\$4 near2 ("node-b" or "node b" or "b node" or "base station") near3 (id or "identification") and (UMTS or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:59
S46	1	"LG".as. and ahn.in. and "program loading data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:59

EAST Search History

S45	3585	"LG".as. and ahn.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:59
S47	29925	"hynix".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 15:59
S48	2	"hynix".as. and "kim".in. and "base station" and ("program load data" or "processor loading data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 16:00
S49	18539	"choi".in. and "samsung".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 16:01
S50	2	"choi".in. and "samsung".as. and "base station" and ("processor load data" or "program load data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 16:02
S51	20	("processor load data" or "program load data") and (((node near2 b) or "b-node" or "base station") with (PLD or "processor load data" or "program load data"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 16:03
S52	309	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller")) and (UMTS or 3G or 3GPP or CDMA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 14:06
S54	18	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller")) same (UMTS or CDMA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 14:15

EAST Search History

S56	4	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller"))) same (UMTS or CDMA) and ((updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 14:23
S53	297	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller"))) and (UMTS or CDMA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 14:38
S58	0	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller"))) with UMTS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 14:46
S59	27	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5 or updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller"))) and (UMTS).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 14:52
S60	15	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5 or updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller"))) and (UMTS).ab. and (RNC or "radio network controller")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 15:58

EAST Search History

S61	20	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5 or updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller")) and (UMTS or UTRAN).ab. and (RNC or "radio network controller"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 15:58
S62	165	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5 or updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller")) and ((UMTS or UTRAN) same (RNC or "radio network controller"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:08
S63	7	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5 or updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller")).ab. and ((UMTS or UTRAN) same (RNC or "radio network controller"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:28
S64	7	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5 or updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller" or RNS)).ab. and ((UMTS or UTRAN) same (RNC or "radio network controller" or RNS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:31
S65	17	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5 or updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller" or RNS)).ab. and ((UMTS or UTRAN) same (RNC or "radio network controller" or RNS or "node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:39

EAST Search History

S70	2	"6735443".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:41
S68	2	"6192244".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:41
S67	2	"6125280".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:41
S66	3	"20020094817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 16:41
S57	8	(@ad<"20030210" or @rlad<"20030210") and ((reset\$5 or restart\$5 or reboot\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or RNC or "radio network controller")) and ((updat\$5) near6 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station")) and UMTS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 11:00
S72	25	(@ad<"20030210" or @rlad<"20030210") and ((updat\$5 or chang\$5 or alter\$5 or modif\$8) near5 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station") near4 (ID or identif\$8)) and (UMTS or UTRAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 11:02

EAST Search History

S75	44	(US-20060040698-\$ or US-20020019230-\$ or US-20030003919-\$ or US-20030134653-\$ or US-20040082366-\$ or US-20010038616-\$ or US-20020094817-\$ or US-20020049062-\$ or US-20040213297-\$ or US-20040199612-\$ or US-20030040313-\$ or US-20010046240-\$ or US-20030026285-\$ or US-20030103473-\$ or US-20040077350-\$ or US-20040005870-\$ or US-20030119533-\$ or US-20030139141-\$ or US-20040032836-\$ or US-20020082020-\$ or US-20020115438-\$ or US-20020107019-\$ or US-20030050097-\$ or US-20040002328-\$ or US-20020077141-\$ or US-20030039231-\$).did. or (US-6650905-\$ or US-6944426-\$ or US-6549524-\$ or US-6907248-\$ or US-7227845-\$ or US-6735443-\$ or US-6757536-\$ or US-7065359-\$). did. or (KR-2001019295-\$ or GB-2357009-\$ or KR-2001045784-\$ or KR-2001019998-\$ or KR-2001020001-\$ or KR-2002058347-\$ or KR-2001027992-\$ or KR-2002052019-\$ or WO-2004043086-\$ or WO-200139403-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/07/24 14:18
S76	1	S75 and (ESF or (extension near2 (specific\$8 or file)))	US-PGPUB; USPAT; DERWENT	AND	ON	2007/07/24 14:19
S71	42	(@ad<"20030210" or @rlad<"20030210") and ((updat\$5 or chang\$5 or alter\$5 or modif\$8) near5 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station") near4 (ID or identif\$8)) and (UMTS or UTRAN or 3G or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 14:43

EAST Search History

S77	3041	(@ad<"20030210" or @rlad<"20030210") and ("radio network controller")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 14:43
S78	61	(@ad<"20030210" or @rlad<"20030210") and ("radio network controller") and (("radio network controller" or RNC) near4 neighbor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 15:13
S79	48	(@ad<"20030210" or @rlad<"20030210") and ("radio network controller") and ("radio network controller" or RNC) with (adding or addition or add or remove or removing or grow or growing) near3 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 15:19
S81	1388	samsung.as. and ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 16:08
S80	51	(@ad<"20030210" or @rlad<"20030210")and ("radio network controller" or RNC) with (adding or addition or add or remove or removing or grow or growing) near3 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 16:08
S83	94	"kim, hyun-jung".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 16:13
S82	10	samsung.as. and (UMTS and ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 16:14
S84	1	"kim, hyun-jung".in. and (UMTS and ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 16:14

EAST Search History

S73	78	(@ad<"20030210" or @rlad<"20030210") and ((updat\$5 or chang\$5 or alter\$5 or modif\$8) near5 ("node b" or "node-b" or "b-node" or "b node" or "basestation" or "base station" or "BS" or "BSC") near4 (ID or identif\$8)) and (UMTS or UTRAN or 3G or 3GPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 16:57
S85	42	(@ad<"20030210" or @rlad<"20030210") and (file near5 compar\$5 with updat\$5 near5 (different or difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 17:07
S88	2	(@ad<"20020210") and (file near5 compar\$5 with updat\$5 near5 only near5 (different or difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 17:09
S87	1	(@ad<"20020210") and (file near5 compar\$5 with updat\$5 near3 only near3 (different or difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 17:09
S89	3	(@ad<"20020210") and (file near5 compar\$5 with updat\$5 near5 different near3 (part or section or item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 17:10
S86	31	(@ad<"20020210") and (file near5 compar\$5 with updat\$5 near5 (different or difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/24 17:10